

GATES SURFACE COMMAND / CONTROL CABLE OPTIONS -- GMC TYPE -- DEEP WEAPON DSMC2

POWER



BLUESHAPE PWS4

24-28 VDC POWER STATION



ANTON BAUER VCLX

5000-94-225 GMC ASSY, SRFCE PWR 3PIN XLR 14AWG		
SRFCE CONN	CABLE TYPE	HSG CONN
3 PIN XLR MALE	14 AWG FLEX 100FT	GATES MULTICONN 2PIN





5000-94-193 GMC ASSY, BLKHD PWR TO DC CNVRTER		
BULKHHD CONN	CABLE TYPE	CAM CONN
GATES MULTICONN 2PIN	18 AWG FLEX 24IN	LEMO 2P 0B





TBD PN DC-DC CONVERTER

5000-94-202 CABLE ASSY, DC CONV TO DSMC2 15V		
DC CONV CONN	CABLE TYPE	CAM CONN
LEMO 4P 0B	18 AWG FLEX 10IN	LEMO 6P 0B





DSMC / DSMC2 6 PIN LEMO

CAMERA CONTROL



FOOLCONTROL IOS / ANDROID

Apple Lightning to USB

BELKIN USB-C to Gig-E Adapter B2B145-BLK



5000-94-183 GMC ASSY, SRFCE GIG-E		
SRFCE CONN	CABLE TYPE	HSG CONN
RJ45 (GIG-E)	CAT 7A 100FT	GATES MULTICONN 10 PIN





5000-94-184 GMC ASSY, BLKHD GIG-E DSMC2		
HSG CONN	CABLE TYPE	CAM CONN
GATES MULTICONN 10 PIN	CAT 7A 24IN	LEMO 9P 0B RA





DSMC (GIG-E)
DSMC2 (GIG-E)

LENS CONTROL -- ARRI



ARRI WCU-4

SURFACE: 5000-94-263 SRFCE ARRI LCS FISCHER 5P		
SRFCE CONN	CABLE TYPE	HSG CONN
FISCHER 5P	CAT 7A 100FT	GATES MULTICONN 10 PIN






ARRI HI-5



COMOTION cPRO



HSG: 5000-94-264 GMC ASSY, BULKHD, LCS, ARRI CFORCE RF MOTR		
HSG CONN	CABLE TYPE	MOTOR CONN
GATES MULTICONN 10 PIN	CAT 7A 24IN OR 4X26AWG	4P LEMO MALE



NOTES:

IN THIS ARRANGEMENT, FIRST MOTOR MUST BE CFORCE MINI RF.

OTHER MOTORS CAN BE CFORCE MINI RF *OR* CFORCE MINI

* GATES LOW PROFILE MOTOR MOUNTS FOR CFORCE MINI / MINI RF ARE REQUIRED

PART NUMBER: 3200-10-504 ASSY, LOW PROFILE MT, CFORCE MINI MOTRS

* HOUSING REQUIRES SPR110 SIZE PORT RINGS FOR MOTOR CLEARANCE



CFORCE MINI RF



CFORCE MINI




LOW PROFILE MT

GATES SURFACE COMMAND / CONTROL CABLE OPTIONS -- GMC TYPE -- DEEP WEAPON DSMC2

SURFACE SIDE

HOUSING SIDE

LENS CONTROL -- PRESTON




5000-94-195 GMC ASSY, SRFCE LCS PRESTON LEMO		
SRFCE CONN	CABLE TYPE	HSG CONN
LEMO 5P 0B	CAT 7A 100FT	GATES MULTICONN 6 PIN

PRESTON HAND UNIT

5000-94-196 GMC ASSY, BLKHD LCS PRESTON LEMO		
HSG CONN	CABLE TYPE	CAM CONN
GATES MULTICONN 6 PIN	CAT 7A 24IN	LEMO 6P 0B

PRESTON MOTOR **PRESTON MDR**

NOTES:
* HOUSING REQUIRES SPR110 SIZE PORT RINGS FOR MOTOR CLEARANCE



LENS CONTROL -- TERADEK RT

TERADEK RT HAND CONTROLLER

CABLE ASSY, SRFCE LCS TERADEK RT 5000-94-289		
SRFCE CONN	CABLE TYPE	HSG CONN
LEMO 5P 0B	CAT 7A 100FT	GATES MULTICONN 6 PIN

CABLE ASSY, BLKHD LCS TERADEK RT 5000-94-290		
HSG CONN	CABLE TYPE	MOTOR CONN
GATES MULTICONN 6 PIN	CAT 7A 24IN	LEMO 5P 0B

NOTES:
* IN THIS ARRANGEMENT, CABLE PLUGS INTO TERADEK MDR OR ACI AND THEN TO MOTOR
* GATES LOW PROFILE MOTOR MOUNTS FOR TERADEK RT MK3.1 ARE REQUIRED PART NUMBER: 3200-10-502 ASSY, LOW PROFILE MT, TERADEK RT MK3.1
* HOUSING REQUIRES SPR110 SIZE PORT RINGS FOR MOTOR CLEARANCE

TERADEK LATITUDE OR MDR.X

TERADEK MK 3.1 MOTR.X MOTR.S

LOW PROFILE MT

SURFACE VIDEO OPTION 1

SDI MONITOR

5000-94-204 GMC ASSY, SURFACE SDI BNC		
SRFCE CONN	CABLE TYPE	HSG CONN
75Ω BNC	RG59 POLYU JACKET 100FT	GATES MULTICONN 75Ω TRIAX

5000-94-205 GMC ASSY, BLKHD SDI BNC		
HSG CONN	CABLE TYPE	CAM CONN
GATES MULTICONN 75Ω TRIAX	RG59 POLYU JACKET 24IN	75Ω BNC

DSMC / DSMC2 SDI

GATES SURFACE COMMAND / CONTROL CABLE OPTIONS -- GMC TYPE -- DEEP WEAPON DSMC2

SURFACE VIDEO OPTION 2

SURFACE SIDE


HOUSING SIDE



LEGACY SDI CABLE ASSY
REF ONLY

5000-94-036 CABLE ASSY, SRFCE, HD-SDI, BNC		
SRFCE CONN	CABLE TYPE	HSG CONN

75Ω BNC	RG59 POLYU JCKT 100FT	7 PIN MKS
---------	--------------------------	-----------



5000-94-018 CABLE ASSY, BULKHD, HD-SDI		
HSG CONN	CABLE TYPE	CAM CONN

7 PIN MKS	RG179 24 IN	75Ω BNC
-----------	-------------	---------



DSMC / DSMC2
SDI