

**GATES PRO RAPTOR  
COMPATIBLE BATTERIES**

<b>Manufacturer / Model</b>	<b>PRO RAPTOR Base Config</b>	<b>Requires PR Shell Extension (0255-10-519)</b>	<b><a href="#">Requires RED V-Lock Adapter</a></b>	<b>NOT Compatible</b>	<b>NOTES</b>
<b>RED</b>					
<a href="#">REDVOLT 98 WHr</a>	✓				
REDBRICK				✓	
<b>CORE SWX</b>					
<a href="#">Nano 98 WHr</a>	✓				
<a href="#">Nano 150 WHr</a>	✓				
<a href="#">NEO 150 Mini</a>		✓	✓		
<a href="#">HELIX 150 MAX</a>		✓	✓		
<b>bebob</b>					
<a href="#">V98MICRO</a>	✓				
<a href="#">V150MICRO</a>	✓				
<a href="#">V200MICRO</a>		✓			
<a href="#">V240MICRO</a>		✓			
<a href="#">V90RM / V155RM / V290RM</a>		✓	✓		
<a href="#">V98 / V150 / V200</a>		✓	✓		
<b>ANTON BAUER</b>					
<a href="#">Titon Micro 90 V-Mount</a>	✓				
<a href="#">Titon Micro 150 V-Mount</a>	✓				
<b>SWIT</b>					
MINO S70				✓	System Current Draw exceeds battery spec
<a href="#">MINO-S140</a>	✓				
<a href="#">MINO-S210</a>	✓				
<b>IDX</b>					
Imicro-98				✓	System Current Draw exceeds battery spec
<a href="#">Imicro-150</a>	✓				
<a href="#">CUE Series H90, H135, H180, D300</a>		✓	✓		

**GATES PRO RAPTOR  
COMPATIBLE BATTERIES**

<b>Manufacturer / Model</b>	<b>PRO RAPTOR Base Config</b>	<b>Requires PR Shell Extension (0255-10-519)</b>	<b><a href="#">Requires RED V-Lock Adapter</a></b>	<b>NOT Compatible</b>	<b>NOTES</b>
<b>Hawk-Woods</b> <a href="#">VL-M150D</a>	✓				
<b>BlueShape</b> <a href="#">GRANITE Mini BV140HD</a>		✓	✓		
POCKET 145 / 210	✓				
BV-090 / 190 / 290				✓	210 Requires fit check verificaiton Height interference w/RED V-Lock Adapter
GRS 145 / 210				✓	Height interference w/RED V-Lock Adapter
<b>SWIT</b> <a href="#">8192S</a>				✓	Height interference w/RED V-Lock Adapter
<b>PAG</b> <a href="#">PL96e / 9303 (x2)</a>		✓	✓		
<a href="#">PL96t / 9304 (x2)</a>		✓	✓		
<a href="#">PL150e / 9308 (x2)</a>		✓	✓		
<a href="#">PL150t / 9309 (x2)</a>		✓	✓		

**GATES PRO RAPTOR  
COMPATIBLE BATTERIES**

Manufacturer / Model	PRO RAPTOR Base Config	Requires PR Shell Extension (0255-10-519)	<a href="#">Requires RED V-Lock Adapter</a>	NOT Compatible	NOTES
----------------------	---------------------------	---	---	-------------------	-------

----- **GENERAL INFORMATION** -----

**Compatible Accessories**

Hawk-Woods VL-OCI Hot Swap Adapter

Compatible with all Micro V-Locks using PR Shell Extension (0255-10-519)

**Incompatible Accessories**

bebob VMF-VMICRO2  
Full Size Shark Fins Hot Swap Adapters

Adapter will fit but V-Lock battery is positioned high, interference with PR shell.  
Battery interference on left side.

**Dimensional Notes**

- \* Micro V-Locks approx size 2.93W" x 2.54H" (76 x 64.5mm)
- \* Full size V-Locks approx size 3.95W" (100mm)
- \* Max Battery Depth from rear of Camera / PR Std Config 3.0" / 76mm
- \* Max Battery Depth from rear of Camera / PR with Shell Extension 5.75" / 146mm
- \* RED V-Lock Adapter Depth from rear of Camera 1.43" / 36mm
- \* Max Battery size w/RED V-Lock Adapter 5.75H" x 3.95W" x 3.75D" (146 x 100 x 95mm)